

Refine Search

Search Results -

Terms	Documents
L14 and (basic\$ near5 object\$)	5

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L15

Search History

DATE: Tuesday, March 22, 2005 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L15</u>	L14 and (basic\$ near5 object\$)	5	<u>L15</u>
<u>L14</u>	17 and independen\$ and object\$ near5 (perform\$ near4 function\$)	45	<u>L14</u>
<u>L13</u>	17 and independen\$ near5 (data structure\$ Or basic object)	3	<u>L13</u>
<u>L12</u>	17 and independen\$ near5 (object model\$)	1	<u>L12</u>
<u>L11</u>	L10 and (perform\$ near5 function\$)	0	<u>L11</u>
<u>L10</u>	L9 and independen\$	0	<u>L10</u>
<u>L9</u>	L7 and (subset\$ near5 object\$)	16	<u>L9</u>
<u>L8</u>	L7 and subset\$ near5 (servic\$ near4 object\$)	0	<u>L8</u>
<u>L7</u>	(element\$ Or object\$) near6 (finit\$ near4 (basic\$ near5 objct\$ or element\$))	6597	<u>L7</u>
<u>L6</u>	11 and (read\$ or process\$)	1	<u>L6</u>
<u>L5</u>	11 and pars\$	0	<u>L5</u>
<u>L4</u>	11 and finit\$	0	<u>L4</u>

L3 ll and object model and modif\$ and independen\$
L2 L1 and independen\$
L1 5680619.pn.

1 L3
1 L2
1 L1

END OF SEARCH HISTORY



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

object and basic object and finite set and subset and perform

SEARCH



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

object and **basic object** and **finite set** and **subset** and **perform** and **object type** and **class array**

Found
91,594 of
151,219

Sort results
by

relevance



[Save results to a Binder](#)

[Try an Advanced Search](#)

[Try this search in The ACM Guide](#)

Display
results

expanded form



[Search Tips](#)

☐ Open results in a new
window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [In black and white: an integrated approach to class-level testing of object-oriented programs](#)

Huo Yan Chen, T. H. Tse, F. T. Chan, T. Y. Chen

July 1998 **ACM Transactions on Software Engineering and Methodology (TOSEM)**,
Volume 7 Issue 3

Full text available: pdf(284.99 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Because of the growing importance of object-oriented programming, a number of testing strategies have been proposed. They are based either on pure black-box or white-box techniques. We propose in this article a methodology to integrate the black- and white-box techniques. The black-box technique is used to select test cases. The white-box technique is mainly applied to determine whether two objects resulting from the program execution of a test case are observationally equivalent. It is also ...

Keywords: abstract data types, algebraic specification, object-oriented programming, observational equivalence, software-testing methodologies

2 [Status report of the graphic standards planning committee](#)

Computer Graphics staff

August 1979 **ACM SIGGRAPH Computer Graphics**, Volume 13 Issue 3

Full text available: pdf(15.01 MB)

Additional Information: [full citation](#), [references](#), [citations](#)

3 [Types and persistence in database programming languages](#)

Malcolm P. Atkinson, O. Peter Buneman

June 1987 **ACM Computing Surveys (CSUR)**, Volume 19 Issue 2


Full text available: pdf(7.91 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Traditionally, the interface between a programming language and a database has either been through a set of relatively low-level subroutine calls, or it has required some form of embedding of one language in another. Recently, the necessity of integrating database and programming language techniques has received some long-overdue recognition. In response, a number of attempts have been made to construct programming languages with

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE


[Membership](#) | [Publications/Services](#) | [Standards](#) | [Conferences](#) | [Careers/Jobs](#)
IEEE Xplore®
 RELEASE 1.8

 Welcome
 United States Patent and Trademark Office

[Help](#) | [FAQ](#) | [Terms](#) | [IEEE Peer Review](#)
[Quick Links](#)
Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

 Your search matched **0** of **1140634** documents.

 A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

Results:
No documents matched your query.
Print Format
[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved